

Versadial Supported PBX List

The following is a list of PBX or digital telephone systems that Versadial can support to record from direct digital extensions. This list includes two different manufacturers, **DSC-MOD** (Highlighted in Red) and **NGX** (Highlighted in Blue) cards. Verify that your PBX brand and model number of telephone sets are supported.

Note: D-Channel supports detecting PBX onhook/offhook, capture caller id, dialed #, lamps, buttons pressed, etc.

Supported PBX for MOD Cards (Full-size PCI)

Manufacturer	PBX	Telephone sets (VOX)	D-Channel (Onhook/Offhook detection, lamps, capture caller id, dialed #)	Ports
Alcatel	4200, 4400 V3.10	Reflex 4004 first, 4010 easy, 4020 premium, 4035 advanced, 4059 PC operator, 4003, 4011, 4012, 4023, 4034	Reflex 4004 first, 4010 easy, 4020 premium, 4035 advanced, 4003, 4011, 4012, 4023, 4034	16
Ascom	Ascotel 2020	Office 20, 30, 40, 25, 35, 45/45pro, 130/130pro	Office 20, 30, 40, 25, 35, 45/45pro, 130/130pro	16
Ascom	Ascotel 2020	Crystal (use SO ETSI protocol)		8
Aspect CallCenter	ACD System	Teleset Model 3010, 3190, 3192	Teleset Model 3010, 3190, 3192	16
Avaya	Lucent Definity (2-wire)	64xx series., 84xx series, CallMaster III, IV, V, VI	64xx series., 84xx series, CallMaster III, IV, V, VI	16
Avaya	Lucent Definity (4-wire)	74xx series, 84xx series, 94xx series, CallMaster I, II, III, IV, V	74xx series, 84xx series, 94xx series, CallMaster I, II, III, IV, V	8
Avaya	Lucent Definity (5ESS extension)	8510 ISDN, 8520 ISDN, 8528 ISDN, 75XX series (firmware fp3.x)	8510 ISDN, 8520 ISDN, 8528 ISDN, 75XX series (firmware fp3.x)	8
Bosch	Integral	TB13, TE13, TH13, TM13, TS13, TH93, TH93C, T3 Classic, T3 Comfort	TB13, TE13, TH13, TM13, TS13, TH93, TH93C, T3 Classic, T3 Comfort	16
Ericsson	MD110 Business Phone Elu25/28 BC1 or higher	DBC199, DBC201/211 (Dialog 3201/3211) DBC202/212 (Dialog 3202/3212) DBC203/313 (Dialog 3203/3213) DBC210 (Dialog 3210) DBC214 (Dialog 3214) DBC601 (Dialog 2601) DBC631 (Dialog 2631) DBC661 (Dialog 2661) DBC662 (Dialog 2662) Operator Workstation (OWS) Operator Console (OPI II) Operator Console (OPI 3213) Trader Panel CTT10 / CTT11 Trader Panel TIU Business Phone Sets	DBC201/211 (Dialog 3201/3211) DBC202/212 (Dialog 3202/3212) DBC203/313 (Dialog 3203/3213) DBC210 (Dialog 3210) DBC214 (Dialog 3214) DBC601 (Dialog 2601) DBC631 (Dialog 2631) DBC661 (Dialog 2661) DBC662 (Dialog 2662) Business Phone Sets	16
Any Pabx with UPO extensions	Any Pabx with UPO extensions	Varix 840, OpenCom 1000, Telrad IS Avaya Merlin Magix MLX		16
Any PBX with S0/BRI	Any PBX with S0/BRI	Realitis DX, BRI ETSI, BRI 1TR6 BRI EuroISDN, BRI 5ESS, Varix 840 BRI National ISDN NI-1, Telrad IS BRI DMS-100, Opencom 1000 Avaya Merlin Magix (BRI) MLX Avaya Definity 75xx series Bosch Integrall 4-wire sets		8
Inter-tel	Axxess (part# 550.1200)	4400 Standard digital terminal (part# 550.4400) 4500 Executive terminal (met display) (part# 550.4500) 8500. no display (part# 550.8500)		16

note: Tap needs to be on pair 3&6 instead of 4&5

ISDN2	ETSI, 1TR6	ETSI, 1TR6, National ISDN1, INS-64	ETSI, 1TR6, National ISDN1, INS-64	8
LG ARIA	LG ARIA	LKD series		16
NEC	NEAX1000, 2000, 2400, Electra Elite, Electra Elite IPK	Dterm 8 (DTP 8) Dterm 8D (DTP 8D) Dterm 32D (DTP 32D) SN716 Desk Console, DTP-xx, DTU-xx, ETJ-xx	Dterm 8 (DTP 8) Dterm 8D (DTP 8D) Dterm 32D (DTP 32D) SN716 Desk Console, DTP-xx, DTU-xx, ETJ-xx	16
Nitsuko	NEC DXE 32. (DX2E-32i PABX)	DX2ET-16TXH (series-1) DX2E-12BTH (series-2.0)	DX2ET-16TXH (series-1) DX2E-12BTH (series-2.0)	16
Nortel	Matra	MC401, MC405, MC420, MC520, MC620, MC640	MC401, MC405, MC420, MC520, MC620, MC640	16
Nortel	Meridian M1, SL100	M2006, M2008, M2009, M2018, M2216, M2316, M2616 (Aries) M3110, M3310, M3820 (Orion) M2250 (single extension only), M3901, M3902, M3903, M3904, 3905 (Taurus)	M2006, M2008, M2009, M2018, M2216, M2316, M2616 (Aries) M3110, M3310, M3820 (Orion) M2250 (single extension only), M3901, M3902, M3903, M3904, 3905 (Taurus)	16
Nortel	Norstar	M7100, M7208, M7310, M7316, M7324, M7410, T7100, T7208, T7316	M7100, M7208, M7310, M7316, M7324, M7410, T7100, T7208, T7316	16
Nitsuko	DX2E, i -series	DX2E-12BTH (series-2.0), DX2ET-16TXH, DX2E-12BTH, DX2ET-16T-LC2, DX2ET-24TSXH, i -series	DX2E-12BTH (series-2.0), DX2ET-16TXH, DX2E-12BTH, DX2ET-16T-LC2, DX2ET-24TSXH	16
Panasonic	KX-TD (208, 308, 816, 1232, 500)	KX-T 7200, 7300, 7400, 7500 series	KX-T 7200, 7300, 7400, 7500 series	16
Note: Hybrid set. Analogue signal (Pin 4 and 5 of RJ45) supported by means of analogue tap card DSC-xA-PCI/DSC-xA-SPCI Note: Tap Needs to be on Pair 3 & 6 on RJ45 --				
Philips (2-wire)	Sopho	d310 /2 Ergoline mod 1 2-wire d320 /2 Ergoline mod 2 2-wire d325 /2 Ergoline mod 3 2-wire d330 /2 Ergoline mod 3 2-wire d340 /2 Ergoline mod 4 2-wire	d310 /2 Ergoline mod 1 2-wire d320 /2 Ergoline mod 2 2-wire d325 /2 Ergoline mod 3 2-wire d330 /2 Ergoline mod 3 2-wire d340 /2 Ergoline mod 4 2-wire	16
Philips (4-wire)	Sopho	d622S, d623S, d624S d310 /4 Ergoline mod 1 4-wire d320 /4 Ergoline mod 2 4-wire d325 /4 Ergoline mod 3 4-wire d330 /4 Ergoline mod 3 4-wire d340 /4 Ergoline mod 4 4-wire Sopho Operator Phone B630 Sopho Console Model 60E	d622S, d623S, d624S d310 /4 Ergoline mod 1 4-wire d320 /4 Ergoline mod 2 4-wire d325 /4 Ergoline mod 3 4-wire d330 /4 Ergoline mod 3 4-wire d340 /4 Ergoline mod 4 4-wire	8
Siemens	Hicom / HiPath	Optiset E entry, E basic, E standard, E comfort/advance plus, E conference, E memory OptiPoint 500 entry, basic, economy standard, advanced AC 2.0/3.0/4.0, ACWIN 3.0/4.0	Optiset E entry, E basic, E standard, E confort/advance plus, E conference, E memory OptiPoint 500 entry, basic, economy standard, advanced	16
Tadacom (Tadiran)	Coral	DKT-E 1110, 2320, 2311, 2321, 2322, DST-E FLEXSET 120 series, FLEXSET 280 series	DKT-E 1110, 2320, 2311, 2321, 2322, DST-E FLEXSET 120 series, FLEXSET 280 series	16
Toshiba	Strata CTX (VOX only)	DKT phone support		16
Supported PBX for MOD Cards Serial (full-size PCI)				
Mitel	Mitel SX2000 D-Channel support Mitel SX200 audio support only	Superset 4001, 4015, 4025, 4125, 4150	Superset 4001, 4015, 4025, 4125, 4150	8
Ascom	Ascotel 2020 audio support only	Crystal (use So ETSI protocol)		8

Supported PBX for NGX Cards (Full-size PCI)

Manufacturer	PBX	Telephone sets (VOX)	D-Channel Phones	Ports
Alcatel	4200, 4400, omniPCX4400	Reflexes 4004 first, 4010 easy, 4020 premium, 4035 advance, 4003, 4011, 4012, 4023, 4034	Reflexes 4004 first, 4010 easy, 4020 premium, 4035 advance, 4003, 4011, 4012, 4023, 4034,	16
Aspect CallCenter	ACD System Telecom Call Center	Teleset Model 3010, 3190, 3192	Teleset Model 3010, 3190, 3192	16
Note: US, UK, EU, and SG models have been tested and work				
Avaya (SDX)	INDeX	DT3, 2030, 2050	DT3, 2030, 2050	8
*Note: The NGX treats this PBX as a 4 wire PBX and requires an RTS tap box. The RTS is sold separately				
Avaya	Lucent Definity (2-wire)	6402 display, 6408 display, 6416 display, 6424 display, 6402, 6408, 8410, 8434 call master III, IV, V, VI	6402 display, 6408 display, 6416 display, 6424 display, 6402, 6408, 8410 call master III, IV, V, VI	16
Avaya	Lucent Definity (4-wire)	7406, 8410, call master I, II, III, IV	7406, 8410, call master I, II, III, IV	8
Avaya	Magix	4400, 4400D, 4406D+, 4412D+, 4424D+, 4424LD+	4400, 4400D, 4406D+, 4412D+, 4424D+, 4424LD+	16
Avaya	MLX (BRI)	MLX10, MLX20L, MLX5, MLX5 & MLX28 & MLX10 display		8
Bosch (Tenovis)	Integral 3	TB13, TE13, TH13, TM13, TS13	TB13, TE13, TH13, TM13, TS13	8
Bosch (Tenovis)	Integral 5D	T3 Compact & Classic & Comfort	T3 Compact & Classic & Comfort	16
EADS	Intecom E	ITE 12SD, ITE 30SD, ITE 760	ITE 12SD, ITE 30SD	16
EADS (Nortel)	Matra M6500	MC401, MC520, M700 series, M760	MC401, MC520, M700 series, M760	16
Ericsson	MD110 Business Phone Elu25/28	DBC201, DBC202, DBC203 DBC212, DBC213, DBC501 DBC562, DBC601, DBC631 DBC661, DBC662	DBC201, DBC202, DBC203 DBC212, DBC213, DBC501 DBC562, DBC601, DBC631 DBC661, DBC662	16
Fujitsu	F9600	F10B-: 0816- 0791 - 0794 -0789- 0790-: B001	F10B-: 0816- 0791 - 0794 -0789- 0790-: B001	16
Inter-tel	AXXESS KTS (Vision)	KTS Executive w/LCD part # 550.4500 KTS Standard w/LCD part# 520.4300		16
Mitel	SX200 & SX2000	401+ , 4001, 4025, 4150	401+ , 4001, 4025, 4150	8
Note: Mitel requires a per channel license fee. Please contact Versadial sales representative for details.				
*Note: The NGX treats this PBX as a 4 wire PBX and requires an RTS tap box. The RTS is sold separately.				
NEC	Electra Elite, Professional	DTP-32DA-1 (DtermSeriesE) DTP-16D-1 (DtermSeriesE) DTP-32D-1 (DtermSeriesE) DTU/DTH-32D-2 DTU/DTH-16D-2 DTP 8D (DtermSeriesE) DCU 60 (add on)	DTP32DA-1 (DtermSeriesE) DTP-16D-1 (DtermSeriesE) DTP-32D-1 (DtermSeriesE) DTU/DTH-32D-2 DTU/DTH-16D-2 DTP 8D (DtermSeriesE) DCU 60 (add on)	16
NEC	NEAX2000, 2400	DTR 8D-1 (Dterm Series I) DTR 8-1 (Dterm Series I) DTR 32D-1 (Dterm Series I) DTR 2DT-1 (Dterm Series I) DTR 16D-1 (DtermSeries I) DTP 32DA-1 (DtermSeriesE) DTP-16D-1 (DtermSeriesE) DTP 32D-1 (DtermSeriesE) DTP 8D (DtermSeriesE) Dterm Series 3 (16 button) DCU 60 (add on)	DTR 8D-1 (Dterm Series I) DTR 8-1 (Dterm Series I) DTR 32D-1 (Dterm Series I) DTR 2DT-1 (Dterm Series I) DTR 16D-1 (DtermSeries I) DTP 32DA-1 (DtermSeriesE) DTP-16D-1 (DtermSeriesE) DTP 32D-1 (DtermSeriesE) DTP 8D (DtermSeriesE) Dterm Series 3 (16 button) DCU 60 (add on)	16
NEC	NEAX1000, 2400 IMS	DTP 8D DCU 60 (add on)	DTP 8D DCU 60 (add on)	16

NEC	Aspire	Model 0890041 (22 button no display) Model 0890043 (22 button w/ display) Model 0890045 (34 button w/ display)	Model 0890041 Model 0890043 Model 0890045 (Captures caller id & dialed #. No start/stop recording function buttons.)	16
Nortel	Meridian 1, SL100	2006, 2008, 2216, 2250, 2317, 2616, 3901, 3902, 3903, 3904, 3905, *M5008 *M52XX & M53XX	2006, 2008, 2216, 2616, 3901, 3902, 3903, 3904, 3905	16
*Note: M5008, M52XX & M53XX phones sets are Centrex phones. These phones have an analog talk path and a d-channel above 3400 Hz. Use either the PT series or LD series for tapping these phones. Use activity detection to start and stop recording.				
Nortel	Norstar	7100, 7208, 7310, 7316, 7324	7100, 7208, 7310, 7316, 7324	16
Philips	ISO3010	D310/2, D320/2, D325/2		16
Philips	ISO3010	D325/4, D330/4, D340/4		8
Note: There are cable length limitations when using four wire phones. Please call Ai-Logix Technical Support for details.				
Samsung	DCS-828, Inforex (only in Korea)	DS-24SE-KTS	DS-24SE-KTS	16
Note: This PBX is only available in Korea. Phone types are not compatible with US				
Siemens	Hicom / HiPath Hicom 100E, 150E HiPath 3000 & 3750 = all and (**) HiPath 4000 = all, (*) and (**) Hicom 330E = all and (*) DE (*)=Germany (**) = Supports a maximum of 2 LCD Lines	Optiset Basic / Standard / Advanced OptiPoint 500 entry, economy, basic, standard, advanced Standard DE (*) Advanced Conference DE (*) (**) Optiset E	Optiset Basic / Standard / Advanced OptiPoint 500 entry, economy, basic, standard, advanced Standard DE (*) Advanced Conference DE (*) (**) Optiset E	16
Siemens	Hicom 300E	240E*, 312L*, 400*, 240*, 624SL* Optiset Basic / Standard / Advanced OptiPoint 500 entry, economy, basic, standard, advanced	240E*, 312L*, 400*, 240*, 624SL* Optiset Basic / Standard / Advanced OptiPoint 500 entry, economy, basic, standard, advanced	16
*Note: The NGX treats this PBX as a 4 wire PBX and requires an RTS tap box. The RTS is sold separately.				
Siemens	Rolm 9751cbx (requires an RTS tap box)	240E, 312L, 400, 240, 624SL, 120	240E, 312L, 400, 240, 624SL, 120	8
Note: The NGX treats this PBX as a 4 wire PBX and requires an RTS tap box. The RTS is sold separately.				
PBX with S0/BRI	EurolSDN, 5ESS (USA) Avaya Definity Nortel DMS100 NI-1 INS64 Rockwell Eon	ETSI, AT&T CUSTOM AT & T CUSTOM DMS100 North American Japan Spectrum Digital Line Card (DLC)	ETSI, AT&T CUSTOM AT & T CUSTOM DMS100 North American Japan	8
Toshiba	DK	DKT2010, DKT2020	DKT2010, DKT2020	16
Toshiba	CTX	DKT3010-SD , DKT3020-S	DKT3010-SD , DKT3020-S	16